

## Laura Chapman

---

**From:** doh.sm.HAB.sampling <HAB.sampling@health.ny.gov>  
**Sent:** Thursday, July 25, 2019 8:12 AM  
**To:** Laura Chapman  
**Cc:** Westerman, Christine A (HEALTH); Schild, Seth L (HEALTH); doh.sm.harmfulalgae; doh.sm.HAB.sampling  
**Subject:** Beaches Results: North Beach on Lake Peekskill  
Putnam County

### PUTNAM COUNTY NOTICE

**THIS EMAIL IS FROM AN EXTERNAL SENDER!** DO NOT click links, DO NOT open attachments, DO NOT forward if you were not expecting this email or if it seems suspicious in any way! **REMEMBER: NEVER** provide your user ID or password to anyone for any reason!

The water sample results from Putnam County: North Beach on Lake Peekskill collected on 7/23/19 indicate that the bloom has subsided and microcystins are  $\leq 4\mu\text{g/L}$ . In accordance with guidance from the NYSDOH Bureau of Community Environmental Health and Food Protection the swimming area can be reopened provided there has been no bloom in the swimming area for at least one day and the bloom has not returned since the sample was taken.

If the bloom is still occurring in other areas of the lake, advisories should be posted at the beach and consideration should be given to posting advisories and/or notifying the public regarding other points of access.

Please email [harmfulalgae@health.ny.gov](mailto:harmfulalgae@health.ny.gov) if you have any questions.

Please let us know if you need any more bottles before we mail back your coolers.

## Laura Chapman

---

**From:** doh.sm.HAB.sampling <HAB.sampling@health.ny.gov>  
**Sent:** Tuesday, June 25, 2019 4:00 PM  
**To:** Laura Chapman  
**Cc:** Vincent Perrin; doh.sm.HAB.sampling; doh.sm.harmfulalgae; Westerman, Christine A (HEALTH); Schild, Seth L (HEALTH)  
**Subject:** Beaches Results: North Beach, Putnam County

### PUTNAM COUNTY NOTICE

**THIS EMAIL IS FROM AN EXTERNAL SENDER! DO NOT click links, DO NOT open attachments, DO NOT forward if you were not expecting this email or if it seems suspicious in any way! REMEMBER: NEVER provide your user ID or password to anyone for any reason!**

The water sample results from North Beach, Putnam County collected on 6/24/19 indicate that the bloom has subsided and microcystins are  $\leq 4\mu\text{g/L}$ . In accordance with guidance from the NYSDOH Bureau of Community Environmental Health and Food Protection the swimming area can be reopened provided there has been no bloom in the swimming area for at least one day and the bloom has not returned since the sample was taken.

If the bloom is still occurring in other areas of the lake, advisories should be posted at the beach and consideration should be given to post advisories and/or notify the public regarding other points of access.

Please email [harmfulalgae@health.ny.gov](mailto:harmfulalgae@health.ny.gov) if you have any questions.

Please let us know if you need any more bottles before we mail back your coolers.

**Laura Chapman**

---

**From:** doh.sm.HAB.sampling <HAB.sampling@health.ny.gov>  
**Sent:** Thursday, July 25, 2019 3:02 PM  
**To:** Laura Chapman  
**Cc:** Westerman, Christine A (HEALTH); Schild, Seth L (HEALTH); doh.sm.harmfulalgae;  
doh.sm.HAB.sampling  
**Subject:** Beaches Results: Carrara's Beach Designated Swim Area on Lake Peekskill, Putnam County

**PUTNAM COUNTY NOTICE**

**THIS EMAIL IS FROM AN EXTERNAL SENDER!** DO NOT click links, DO NOT open attachments, DO NOT forward if you were not expecting this email or if it seems suspicious in any way! REMEMBER: NEVER provide your user ID or password to anyone for any reason!

The water sample results from Putnam County: Carrara's Beach Designated Swim Area on Lake Peekskill collected on 7/24/19 indicate that the bloom has subsided and microcystins are  $\leq 4\mu\text{g/L}$ . In accordance with guidance from the NYSDOH Bureau of Community Environmental Health and Food Protection the swimming area can be reopened provided there has been no bloom in the swimming area for at least one day and the bloom has not returned since the sample was taken.

If the bloom is still occurring in other areas of the lake, advisories should be posted at the beach and consideration should be given to posting advisories and/or notifying the public regarding other points of access.

Please email [harmfulalgae@health.ny.gov](mailto:harmfulalgae@health.ny.gov) if you have any questions.

Please let us know if you need any more bottles before we mail back your coolers.

**Seth Blumerman**

Research Scientist  
Division of Environmental Health Sciences, NYS DOH

## Vincent Perrin

---

**From:** doh.sm.HAB.sampling <HAB.sampling@health.ny.gov>  
**Sent:** Wednesday, August 28, 2019 4:21 PM  
**To:** Laura Chapman; Vincent Perrin; Shawn Rogan  
**Cc:** doh.sm.HAB.sampling; doh.sm.harmfulalgae; Westerman, Christine A (HEALTH); Schild, Seth L (HEALTH)  
**Subject:** Beaches Results: Putnam County: Lake Peekskill, Singers Beach

### PUTNAM COUNTY NOTICE

**THIS EMAIL IS FROM AN EXTERNAL SENDER!** DO NOT click links, DO NOT open attachments, DO NOT forward if you were not expecting this email or if it seems suspicious in any way! REMEMBER! NEVER provide your user ID or password to anyone for any reason!

The water sample results from Putnam County: Lake Peekskill, Singers Beach collected on 8/27/19 indicate that the bloom has subsided and microcystins are  $\leq 4\mu\text{g/L}$ . In accordance with guidance from the NYSDOH Bureau of Community Environmental Health and Food Protection the swimming area can be reopened provided there has been no bloom in the swimming area for at least one day and the bloom has not returned since the sample was taken.

If the bloom is still occurring in other areas of the lake, advisories should be posted at the beach and consideration should be given to posting advisories and/or notifying the public regarding other points of access.

Please email [harmfulalgae@health.ny.gov](mailto:harmfulalgae@health.ny.gov) if you have any questions.

Please let us know if you need any more bottles before we mail back your coolers.

Theresa K. Hattenrath-Lehmann, Ph.D.  
Research Scientist  
Environmental Biology Laboratory  
New York State Dept. of Health  
Wadsworth Labs, Empire State Plaza  
Albany, NY 12237  
ph: 518-473-0649  
fax: 518-402-5683



Environmental Laboratories, Inc.  
 587 East Middle Turnpike, P.O.Box 370, Manchester, CT 06045  
 Tel. (860) 645-1102 Fax (860) 645-0823



# Analysis Report

June 26, 2019

FOR: Attn:  
 Putnam County Health Dept.  
 Drinking and Recreational Water  
 1 Geneva Road  
 Brewster, NY 10509

Sample Information

Matrix: SURFACE WATER  
 Location Code: PUTNAM  
 Rush Request: Standard  
 P.O.#:

Custody Information

Collected by:  
 Received by: B  
 Analyzed by: see "By" below

Date      Time

06/24/19      10:45  
 06/24/19      16:32

Laboratory Data

SDG ID: GCD40921  
 Phoenix ID: CD40922

Project ID:  
 Client ID: CARRERAS BEACH

Parameter	Result	RL/ PQL	Units	Dilution	Date/Time	By	Reference
Fecal Coliforms MPN	31	10	MPN/100 mls	10	06/24/19 18:25	LJ/LJ	Colilert-18

RL/PQL=Reporting/Practical Quantitation Level (Equivalent to NELAC LOQ, Limit of Quantitation) ND=Not Detected at RL/PQL  
 BRL=Below Reporting Level L=Biased Low

Comments:

If you are the client above and have any questions concerning this testing, please do not hesitate to contact Phoenix Client Services at ext.200.  
 The contents of this report cannot be discussed with anyone other than the client listed above without their written consent.

Phyllis Shiller, Laboratory Director

June 26, 2019

Reviewed and Released by: Helen Geoghegan, Project Manager



Environmental Laboratories, Inc.  
 587 East Middle Turnpike, P.O.Box 370, Manchester, CT 06045  
 Tel. (860) 645-1102 Fax (860) 645-0823



**Analysis Report**  
 July 19, 2019

FOR: Attn:  
 Putnam County Health Dept.  
 Drinking and Recreational Water  
 1 Geneva Road  
 Brewster, NY 10509

Sample Information

Matrix: SURFACE WATER  
 Location Code: PUTNAM  
 Rush Request: Standard  
 P.O.#:

Custody Information

Collected by: CB  
 Received by: CP  
 Analyzed by: see "By" below

Date	Time
07/17/19	12:30
07/17/19	17:22

Laboratory Data

SDG ID: GCD59548  
 Phoenix ID: CD59553

Project ID:  
 Client ID: CARRARASS

Parameter	Result	RL/ PQL	Units	Dilution	Date/Time	By	Reference
Fecal Coliforms MPN	86	10	MPN/100 mls	10	07/17/19 18:25	LJ/LJ	Colilert-18

RL/PQL=Reporting/Practical Quantitation Level (Equivalent to NELAC LOQ, Limit of Quantitation) ND=Not Detected at RL/PQL  
 BRL=Below Reporting Level L=Biased Low

Comments:

If you are the client above and have any questions concerning this testing, please do not hesitate to contact Phoenix Client Services at ext.200.  
 The contents of this report cannot be discussed with anyone other than the client listed above without their written consent.

Phyllis Shiller, Laboratory Director  
 July 19, 2019

Reviewed and Released by: Helen Geoghegan, Project Manager



**Environmental Laboratories, Inc.**

587 East Middle Turnpike, P.O.Box 370, Manchester, CT 06045  
Tel. (860) 645-1102 Fax (860) 645-0823



# Analysis Report

August 01, 2019

FOR: Attn:  
Putnam County Health Dept.  
Drinking and Recreational Water  
1 Geneva Road  
Brewster, NY 10509

Sample Information

Matrix: SURFACE WATER  
Location Code: PUTNAM  
Rush Request: Standard  
P.O.#:

Custody Information

Collected by:  
Received by: CP  
Analyzed by: see "By" below

Date      Time

07/31/19      10:45  
07/31/19      17:16

## Laboratory Data

SDG ID: GCD69328  
Phoenix ID: CD69330

Project ID:  
Client ID: CARARRAS BEACH

Parameter	Result	RL/ PQL	Units	Dilution	Date/Time	By	Reference
Fecal Coliforms MPN	41	10	MPN/100 mls	10	07/31/19 18:25	LJ/LJ	ColiIert-18

RL/PQL=Reporting/Practical Quantitation Level (Equivalent to NELAC LOQ, Limit of Quantitation) ND=Not Detected at RL/PQL  
BRL=Below Reporting Level L=Biased Low

**Comments:**

If you are the client above and have any questions concerning this testing, please do not hesitate to contact Phoenix Client Services at ext.200. The contents of this report cannot be discussed with anyone other than the client listed above without their written consent.

**Phyllis Shiller, Laboratory Director**

**August 01, 2019**

**Reviewed and Released by: Helen Geoghegan, Project Manager**



Environmental Laboratories, Inc.  
 587 East Middle Turnpike, P.O. Box 370, Manchester, CT 06045  
 Tel. (860) 645-1102 Fax (860) 645-0823



**Analysis Report**  
 August 13, 2019

FOR: Attn:  
 Putnam County Health Dept.  
 Drinking and Recreational Water  
 1 Geneva Road  
 Brewster, NY 10509

Sample Information

Matrix: SURFACE WATER  
 Location Code: PUTNAM  
 Rush Request: Standard  
 P.O.#:

Custody Information

Collected by: CB  
 Received by: LB  
 Analyzed by: see "By" below

Date      Time  
 08/12/19      11:15  
 08/12/19      16:56

Laboratory Data

SDG ID: GCD83066  
 Phoenix ID: CD83075

Project ID:  
 Client ID: CARARRAS BEACH

Parameter	Result	RL/ PQL	Units	Dilution	Date/Time	By	Reference
Fecal Coliforms MPN	<10	10	MPN/100 mls	10	08/12/19 18:10	LJ/LJ	Colilert-18

RL/PQL=Reporting/Practical Quantitation Level (Equivalent to NELAC LOQ, Limit of Quantitation) ND=Not Detected at RL/PQL  
 BRL=Below Reporting Level L=Biased Low

Comments:

If you are the client above and have any questions concerning this testing, please do not hesitate to contact Phoenix Client Services at ext.200.  
 The contents of this report cannot be discussed with anyone other than the client listed above without their written consent.

Phyllis Shiller, Laboratory Director

August 13, 2019

Reviewed and Released by: Helen Geoghegan, Project Manager





**Environmental Laboratories, Inc.**

587 East Middle Turnpike, P.O.Box 370, Manchester, CT 06045  
Tel. (860) 645-1102 Fax (860) 645-0823



# Analysis Report

June 26, 2019

FOR: Attn:  
Putnam County Health Dept.  
Drinking and Recreational Water  
1 Geneva Road  
Brewster, NY 10509

Sample Information

Matrix: SURFACE WATER  
Location Code: PUTNAM  
Rush Request: Standard  
P.O.#:

Custody Information

Collected by:  
Received by: B  
Analyzed by: see "By" below

Date      Time

06/24/19      10:45  
06/24/19      16:32

## Laboratory Data

SDG ID: GCD40921  
Phoenix ID: CD40923

Project ID:  
Client ID: NORTH BEACH

Parameter	Result	RL/ PQL	Units	Dilution	Date/Time	By	Reference
Fecal Coliforms MPN	134	10	MPN/100 mls	10	06/24/19 18:25	LJ/LJ	Colitert-18

RL/PQL=Reporting/Practical Quantitation Level (Equivalent to NELAC LOQ, Limit of Quantitation) ND=Not Detected at RL/PQL  
BRL=Below Reporting Level L=Biased Low

**Comments:**

If you are the client above and have any questions concerning this testing, please do not hesitate to contact Phoenix Client Services at ext.200.  
The contents of this report cannot be discussed with anyone other than the client listed above without their written consent.

Phyllis Shiller, Laboratory Director

June 26, 2019

Reviewed and Released by: Helen Geoghegan, Project Manager



**Environmental Laboratories, Inc.**

587 East Middle Turnpike, P.O.Box 370, Manchester, CT 06045  
Tel. (860) 645-1102 Fax (860) 645-0823



# Analysis Report

July 25, 2019

FOR: Attn:  
Putnam County Health Dept.  
Drinking and Recreational Water  
1 Geneva Road  
Brewster, NY 10509

Sample Information

Matrix: SURFACE WATER  
Location Code: PUTNAM  
Rush Request: Standard  
P.O.#:

Custody Information

Collected by:  
Received by: B  
Analyzed by: see "By" below

Date

07/23/19  
07/23/19

Time

10:30  
17:02

## Laboratory Data

SDG ID: GCD63305  
Phoenix ID: CD63305

Project ID:  
Client ID: NORTH BEACH

Parameter	Result	RL/ PQL	Units	Dilution	Date/Time	By	Reference
Fecal Coliforms MPN	63	10	MPN/100 mls	10	07/23/19 18:20	LJ/LJ	Colilert-18

RL/PQL=Reporting/Practical Quantitation Level (Equivalent to NELAC LOQ, Limit of Quantitation) ND=Not Detected at RL/PQL  
BRL=Below Reporting Level L=Biased Low

**Comments:**

Bacteria Analysis Comment: This sample was treated for chlorine at time of sample collection with sodium thiosulfate.  
If you are the client above and have any questions concerning this testing, please do not hesitate to contact Phoenix Client Services at ext.200.  
The contents of this report cannot be discussed with anyone other than the client listed above without their written consent.

**Phyllis Shiller, Laboratory Director**

**July 25, 2019**

**Reviewed and Released by: Helen Geoghegan, Project Manager**



Environmental Laboratories, Inc.

587 East Middle Turnpike, P.O.Box 370, Manchester, CT 06045  
Tel. (860) 645-1102 Fax (860) 645-0823



Analysis Report

August 01, 2019

FOR: Attn:  
Putnam County Health Dept.  
Drinking and Recreational Water  
1 Geneva Road  
Brewster, NY 10509

Sample Information

Matrix: SURFACE WATER  
Location Code: PUTNAM  
Rush Request: Standard  
P.O.#:

Custody Information

Collected by:  
Received by: CP  
Analyzed by: see "By" below

Date Time

07/31/19 10:45  
07/31/19 17:16

Laboratory Data

SDG ID: GCD69328  
Phoenix ID: CD69331

Project ID:  
Client ID: NORTH BEACH

Parameter	Result	RL/ PQL	Units	Dilution	Date/Time	By	Reference
Fecal Coliforms MPN	2490	10	MPN/100 mls	10	07/31/19 18:25	LJ/LJ	Colilert-18

RL/PQL=Reporting/Practical Quantitation Level (Equivalent to NELAC LOQ, Limit of Quantitation) ND=Not Detected at RL/PQL  
BRL=Below Reporting Level L=Biased Low

Comments:

If you are the client above and have any questions concerning this testing, please do not hesitate to contact Phoenix Client Services at ext.200.  
The contents of this report cannot be discussed with anyone other than the client listed above without their written consent.

Phyllis Shiller, Laboratory Director

August 01, 2019

Reviewed and Released by: Helen Geoghegan, Project Manager



Environmental Laboratories, Inc.  
 587 East Middle Turnpike, P.O. Box 370, Manchester, CT 06045  
 Tel. (860) 645-1102 Fax (860) 645-0823



**Analysis Report**  
 August 06, 2019

FOR: Attn:  
 Putnam County Health Dept.  
 Drinking and Recreational Water  
 1 Geneva Road  
 Brewster, NY 10509

Sample Information

Matrix: SURFACE WATER  
 Location Code: PUTNAM  
 Rush Request: Standard  
 P.O.#:

Custody Information

Collected by: CB  
 Received by: LB  
 Analyzed by: see "By" below

Date Time  
 08/05/19 10:45  
 08/05/19 16:26

Laboratory Data

SDG ID: GCD73553  
 Phoenix ID: CD73554

Project ID:  
 Client ID: NORTH BEACH

Parameter	Result	RL/ PQL	Units	Dilution	Date/Time	By	Reference
Fecal Coliforms MPN	63	10	MPN/100 mls	10	08/05/19 18:05	LJ/LJ	Colifert-18

RL/PQL=Reporting/Practical Quantitation Level (Equivalent to NELAC LOQ, Limit of Quantitation) ND=Not Detected at RL/PQL  
 BRL=Below Reporting Level L=Biased Low

Comments:

If you are the client above and have any questions concerning this testing, please do not hesitate to contact Phoenix Client Services at ext.200.  
 The contents of this report cannot be discussed with anyone other than the client listed above without their written consent.

*Phyllis Shiller*  
 Phyllis Shiller, Laboratory Director

August 06, 2019

Reviewed and Released by: Helen Geoghegan, Project Manager



Environmental Laboratories, Inc.  
 587 East Middle Turnpike, P.O.Box 370, Manchester, CT 06045  
 Tel. (860) 645-1102 Fax (860) 645-0823



# Analysis Report

August 13, 2019

FOR: Attn:  
 Putnam County Health Dept.  
 Drinking and Recreational Water  
 1 Geneva Road  
 Brewster, NY 10509

Sample Information

Matrix: SURFACE WATER  
 Location Code: PUTNAM  
 Rush Request: Standard  
 P.O.#:

Custody Information

Collected by: CB  
 Received by: LB  
 Analyzed by: see "By" below

Date

08/12/19  
 08/12/19

Time

11:15  
 16:56

## Laboratory Data

SDG ID: GCD83066  
 Phoenix ID: CD83072

Project ID:  
 Client ID: NORTH BEACH

Parameter	Result	RL/ PQL	Units	Dilution	Date/Time	By	Reference
Fecal Coliforms MPN	86	10	MPN/100 mls	10	08/12/19 18:10	LJ/LJ	Colilert-18

RL/PQL=Reporting/Practical Quantitation Level (Equivalent to NELAC LOQ, Limit of Quantitation) ND=Not Detected at RL/PQL  
 BRL=Below Reporting Level L=Biased Low

Comments:

If you are the client above and have any questions concerning this testing, please do not hesitate to contact Phoenix Client Services at ext.200.  
 The contents of this report cannot be discussed with anyone other than the client listed above without their written consent.

Phyllis Shiller, Laboratory Director

August 13, 2019

Reviewed and Released by: Helen Geoghegan, Project Manager



**Environmental Laboratories, Inc.**

587 East Middle Turnpike, P.O.Box 370, Manchester, CT 06045  
Tel. (860) 645-1102 Fax (860) 645-0823



**Analysis Report**

August 28, 2019

FOR: Attn:  
Putnam County Health Dept.  
Drinking and Recreational Water  
1 Geneva Road  
Brewster, NY 10509

Sample Information

Matrix: SURFACE WATER  
Location Code: PUTNAM  
Rush Request: Standard  
P.O.#:

Custody Information

Collected by:  
Received by: LB  
Analyzed by: see "By" below

Date      Time  
08/26/19      10:30  
08/26/19      16:12

Laboratory Data

SDG ID: GCD92441  
Phoenix ID: CD92441

Project ID:  
Client ID: NORTH BEACH

Parameter	Result	RL/ PQL	Units	Dilution	Date/Time	By	Reference
Fecal Coliforms MPN	52	10	MPN/100 mls	10	08/26/19 18:25	LJ/LJ	Colilert-18

RL/PQL=Reporting/Practical Quantitation Level (Equivalent to NELAC LOQ, Limit of Quantitation) ND=Not Detected at RL/PQL  
BRL=Below Reporting Level L=Biased Low

**Comments:**

If you are the client above and have any questions concerning this testing, please do not hesitate to contact Phoenix Client Services at ext.200.  
The contents of this report cannot be discussed with anyone other than the client listed above without their written consent.

Phyllis Shiller, Laboratory Director

August 28, 2019

Reviewed and Released by: Helen Geoghegan, Project Manager



**Environmental Laboratories, Inc.**

587 East Middle Turnpike, P.O.Box 370, Manchester, CT 06045  
Tel. (860) 645-1102 Fax (860) 645-0823



**Analysis Report**

May 24, 2019

FOR: Attn:  
Putnam County Health Dept.  
Drinking and Recreational Water  
1 Geneva Road  
Brewster, NY 10509

Sample Information

Matrix: SURFACE WATER  
Location Code: PUTNAM  
Rush Request: Standard  
P.O.#:

Custody Information

Collected by:  
Received by: B  
Analyzed by: see "By" below

Date      Time  
05/21/19      10:00  
05/21/19      17:16

Laboratory Data

SDG ID: GCD19008  
Phoenix ID: CD19008

Project ID:  
Client ID: SINGER BEACH

Parameter	Result	RL/ PQL	Units	Dilution	Date/Time	By	Reference
Fecal Coliforms MPN	135	10	MPN/100 mls	10	05/21/19 18:45	LJ/LJ	Colilert-18

RL/PQL=Reporting/Practical Quantitation Level (Equivalent to NELAC LOQ, Limit of Quantitation) ND=Not Detected at RL/PQL  
BRL=Below Reporting Level L=Biased Low

Comments:

If you are the client above and have any questions concerning this testing, please do not hesitate to contact Phoenix Client Services at ext.200.  
The contents of this report cannot be discussed with anyone other than the client listed above without their written consent.

Phyllis Shiller, Laboratory Director

May 24, 2019

Reviewed and Released by: Kathleen Cressia, QA/QC Officer



Environmental Laboratories, Inc.  
 587 East Middle Turnpike, P.O.Box 370, Manchester, CT 06045  
 Tel. (860) 645-1102 Fax (860) 645-0823



# Analysis Report

June 16, 2019

FOR: Attn:  
 Putnam County Health Dept.  
 Drinking and Recreational Water  
 1 Geneva Road  
 Brewster, NY 10509

Sample Information

Matrix: GROUND WATER  
 Location Code: PUTNAM  
 Rush Request: Standard  
 P.O.#:

Custody Information

Collected by: CB  
 Received by: CP  
 Analyzed by: see "By" below

Date      Time  
 06/12/19      11:15  
 06/12/19      16:46

Laboratory Data

SDG ID: GCD33132  
 Phoenix ID: CD33135

Project ID:  
 Client ID: SINGER BEACH

Parameter	Result	RL/ PQL	Units	Dilution	Date/Time	By	Reference
Fecal Coliforms MPN	20	10	MPN/100 mls	10	06/12/19 16:15	ILT/RV/M/L	Colilert-18

RL/PQL=Reporting/Practical Quantitation Level (Equivalent to NELAC LOQ, Limit of Quantitation) ND=Not Detected at RL/PQL  
 BRL=Below Reporting Level L=Biased Low

Comments:

If you are the client above and have any questions concerning this testing, please do not hesitate to contact Phoenix Client Services at ext.200.  
 The contents of this report cannot be discussed with anyone other than the client listed above without their written consent.

Phyllis Shiller, Laboratory Director

June 16, 2019

Reviewed and Released by: Rashmi Makol, Project Manager





Environmental Laboratories, Inc.  
 587 East Middle Turnpike, P.O.Box 370, Manchester, CT 06045  
 Tel. (860) 645-1102 Fax (860) 645-0823



# Analysis Report

June 26, 2019

FOR: Attn:  
 Putnam County Health Dept.  
 Drinking and Recreational Water  
 1 Geneva Road  
 Brewster, NY 10509

Sample Information

Matrix: SURFACE WATER  
 Location Code: PUTNAM  
 Rush Request: Standard  
 P.O.#:

Custody Information

Collected by:  
 Received by: B  
 Analyzed by: see "By" below

Date Time

06/24/19 11:00  
 06/24/19 16:32

## Laboratory Data

SDG ID: GCD40921  
 Phoenix ID: CD40924

Project ID:  
 Client ID: SINGER BEACH

Parameter	Result	RL/ PQL	Units	Dilution	Date/Time	By	Reference
Fecal Coliforms MPN	<10	10	MPN/100 ml	10	06/24/19 18:25	LJ/LJ	Coliert-18

RL/PQL=Reporting/Practical Quantitation Level (Equivalent to NELAC LOQ, Limit of Quantitation) ND=Not Detected at RL/PQL  
 BRL=Below Reporting Level L=Biased Low

Comments:

If you are the client above and have any questions concerning this testing, please do not hesitate to contact Phoenix Client Services at ext.200.  
 The contents of this report cannot be discussed with anyone other than the client listed above without their written consent.

Phyllis Shiller, Laboratory Director

June 26, 2019

Reviewed and Released by: Helen Geoghegan, Project Manager



**Environmental Laboratories, Inc.**  
 587 East Middle Turnpike, P.O.Box 370, Manchester, CT 06045  
 Tel. (860) 645-1102 Fax (860) 645-0823

**Analysis Report**  
 July 22, 2019

FOR: Attn:  
 Putnam County Health Dept.  
 Drinking and Recreational Water  
 1 Geneva Road  
 Brewster, NY 10509

Sample Information

Matrix: SURFACE WATER  
 Location Code: PUTNAM  
 Rush Request: Standard  
 P.O.#:

Custody Information

Collected by:  
 Received by: LB  
 Analyzed by: see "By" below

Date      Time  
 07/18/19      11:30  
 07/18/19      16:42

Laboratory Data

SDG ID: GCD60483  
 Phoenix ID: CD60488

Project ID:  
 Client ID: SINGER

Parameter	Result	RL/ PQL	Units	Dilution	Date/Time	By	Reference
Fecal Coliforms MPN	10	10	MPN/100 mls	10	07/18/19 18:00	LJ/LJ	Colilert-18

RL/PQL=Reporting/Practical Quantitation Level (Equivalent to NELAC LOQ, Limit of Quantitation) ND=Not Detected at RL/PQL  
 BRL=Below Reporting Level L=Biased Low

Comments:

If you are the client above and have any questions concerning this testing, please do not hesitate to contact Phoenix Client Services at ext.200.  
 The contents of this report cannot be discussed with anyone other than the client listed above without their written consent.

Phyllis Shiller, Laboratory Director

July 22, 2019

Reviewed and Released by: Helen Geoghegan, Project Manager



Environmental Laboratories, Inc.  
 587 East Middle Turnpike, P.O.Box 370, Manchester, CT 06045  
 Tel. (860) 645-1102 Fax (860) 645-0823



# Analysis Report

August 01, 2019

FOR: Attn:  
 Putnam County Health Dept.  
 Drinking and Recreational Water  
 1 Geneva Road  
 Brewster, NY 10509

Sample Information

Matrix: SURFACE WATER  
 Location Code: PUTNAM  
 Rush Request: Standard  
 P.O.#:

Custody Information

Collected by:  
 Received by: CP  
 Analyzed by: see "By" below

Date      Time

07/31/19      11:15  
 07/31/19      17:16

Laboratory Data

SDG ID: GCD69328  
 Phoenix ID: CD69332

Project ID:  
 Client ID: SINGER BEACH

Parameter	Result	RL/ PQL	Units	Dilution	Date/Time	By	Reference
Fecal Coliforms MPN	285	10	MPN/100 mls	10	07/31/19 18:25	LJ/LJ	Colifert-18

RL/PQL=Reporting/Practical Quantitation Level (Equivalent to NELAC LOQ, Limit of Quantitation) ND=Not Detected at RL/PQL  
 BRL=Below Reporting Level L=Biased Low

Comments:

If you are the client above and have any questions concerning this testing, please do not hesitate to contact Phoenix Client Services at ext.200.  
 The contents of this report cannot be discussed with anyone other than the client listed above without their written consent.

Phyllis Shiller, Laboratory Director

August 01, 2019

Reviewed and Released by: Helen Geoghegan, Project Manager



Environmental Laboratories, Inc.  
 587 East Middle Turnpike, P.O.Box 370, Manchester, CT 06045  
 Tel. (860) 645-1102 Fax (860) 645-0823



# Analysis Report

August 13, 2019

FOR: Attn:  
 Putnam County Health Dept.  
 Drinking and Recreational Water  
 1 Geneva Road  
 Brewster, NY 10509

Sample Information

Matrix: SURFACE WATER  
 Location Code: PUTNAM  
 Rush Request: Standard  
 P.O.#:

Custody Information

Collected by: CB  
 Received by: LB  
 Analyzed by: see "By" below

Date      Time

08/12/19      11:15  
 08/12/19      16:56

## Laboratory Data

SDG ID: GCD83066  
 Phoenix ID: CD83073

Project ID:  
 Client ID: SINGER BEACH

Parameter	Result	RL/ PQL	Units	Dilution	Date/Time	By	Reference
Fecal Coliforms MPN	201	10	MPN/100 mls	10	08/12/19 18:10	LJ/LJ	Colilert-18

RL/PQL=Reporting/Practical Quantitation Level (Equivalent to NELAC LOQ, Limit of Quantitation) ND=Not Detected at RL/PQL  
 BRL=Below Reporting Level L=Biased Low

**Comments:**

If you are the client above and have any questions concerning this testing, please do not hesitate to contact Phoenix Client Services at ext.200.  
 The contents of this report cannot be discussed with anyone other than the client listed above without their written consent.

Phyllis Shiller, Laboratory Director

August 13, 2019

Reviewed and Released by: Helen Geoghegan, Project Manager



Environmental Laboratories, Inc.  
 587 East Middle Turnpike, P.O.Box 370, Manchester, CT 06045  
 Tel. (860) 645-1102 Fax (860) 645-0823



**Analysis Report**  
 August 28, 2019

FOR: Attn:  
 Putnam County Health Dept.  
 Drinking and Recreational Water  
 1 Geneva Road  
 Brewster, NY 10509

Sample Information

Matrix: SURFACE WATER  
 Location Code: PUTNAM  
 Rush Request: Standard  
 P.O.#:

Custody Information

Collected by:  
 Received by: LB  
 Analyzed by: see "By" below

Date Time

08/26/19 10:45  
 08/26/19 16:12

Laboratory Data

SDG ID: GCD92441  
 Phoenix ID: CD92442

Project ID:  
 Client ID: SINGER BEACH

Parameter	Result	RL/ PQL	Units	Dilution	Date/Time	By	Reference
Fecal Coliforms MPN	379	10	MPN/100 mls	10	08/26/19 18:25	LJ/LJ	Coilert-18

RL/PQL=Reporting/Practical Quantitation Level (Equivalent to NELAC LOQ, Limit of Quantitation) ND=Not Detected at RL/PQL  
 BRL=Below Reporting Level L=Biased Low

Comments:

If you are the client above and have any questions concerning this testing, please do not hesitate to contact Phoenix Client Services at ext.200.  
 The contents of this report cannot be discussed with anyone other than the client listed above without their written consent.

Phyllis Shiller, Laboratory Director

August 28, 2019

Reviewed and Released by: Helen Geoghegan, Project Manager



Environmental Laboratories, Inc.  
 587 East Middle Turnpike, P.O.Box 370, Manchester, CT 06045  
 Tel. (860) 645-1102 Fax (860) 645-0823



# Analysis Report

June 21, 2019

FOR: Attn:  
 Putnam County Health Dept.  
 Drinking and Recreational Water  
 1 Geneva Road  
 Brewster, NY 10509

Sample Information

Matrix: WASTE WATER  
 Location Code: PUTNAM  
 Rush Request: Standard  
 P.O.#:

Custody Information

Collected by:  
 Received by: CP  
 Analyzed by: see "By" below

Date

06/19/19  
 06/19/19

Time

13:07  
 17:20

## Laboratory Data

SDG ID: GCD38302  
 Phoenix ID: CD38302

Project ID:  
 Client ID: NORTHWAY UPPER 42

Parameter	Result	RL/ PQL	Units	Dilution	Date/Time	By	Reference
Escherichia Coli	359	10	MPN/100 mls	10	06/19/19 18:25	LJ/LJ	SM9223B-04
Fecal Coliforms MPN	97	10	MPN/100 mls	10	06/19/19 18:25	LJ/LJ	ColiIert-18
Total Coliforms	19900	10	MPN/100 mls	10	06/19/19 18:25	LJ/LJ	SW9223B-06

RL/PQL=Reporting/Practical Quantitation Level (Equivalent to NELAC LOQ, Limit of Quantitation) ND=Not Detected at RL/PQL  
 BRL=Below Reporting Level L=Biased Low

**Comments:**

If you are the client above and have any questions concerning this testing, please do not hesitate to contact Phoenix Client Services at ext.200.  
 The contents of this report cannot be discussed with anyone other than the client listed above without their written consent.

Phyllis Shiller, Laboratory Director

June 21, 2019

Reviewed and Released by: Helen Geoghegan, Project Manager



Environmental Laboratories, Inc.  
 587 East Middle Turnpike, P.O. Box 370, Manchester, CT 06045  
 Tel. (860) 645-1102 Fax (860) 645-0823



# Analysis Report

June 21, 2019

FOR: Attn:  
 Putnam County Health Dept.  
 Drinking and Recreational Water  
 1 Geneva Road  
 Brewster, NY 10509

Sample Information

Matrix: WASTE WATER  
 Location Code: PUTNAM  
 Rush Request: Standard  
 P.O.#:

Custody Information

Collected by:  
 Received by: CP  
 Analyzed by: see "By" below

Date

06/19/19  
 06/19/19

Time

12:55  
 17:20

Laboratory Data

SDG ID: GCD38302  
 Phoenix ID: CD38303

Project ID:  
 Client ID: NORTHWAY LOWER

Parameter	Result	RL/ PQL	Units	Dilution	Date/Time	By	Reference
Escherichia Coli	355	10	MPN/100 mls	10	06/19/19 18:25	LJ/LJ	SM9223B-04
Fecal Coliforms MPN	226	10	MPN/100 mls	10	06/19/19 18:25	LJ/LJ	Colilert-18
Total Coliforms	>24200	10	MPN/100 mls	10	06/19/19 18:25	LJ/LJ	SW9223B-06

RL/PQL=Reporting/Practical Quantitation Level (Equivalent to NELAC LOQ, Limit of Quantitation) ND=Not Detected at RL/PQL  
 BRL=Below Reporting Level L=Biased Low

**Comments:**

If you are the client above and have any questions concerning this testing, please do not hesitate to contact Phoenix Client Services at ext.200.  
 The contents of this report cannot be discussed with anyone other than the client listed above without their written consent.

Phyllis Shiller, Laboratory Director

June 21, 2019

Reviewed and Released by: Helen Geoghegan, Project Manager



Environmental Laboratories, Inc.  
 587 East Middle Turnpike, P.O.Box 370, Manchester, CT 06045  
 Tel. (860) 645-1102 Fax (860) 645-0823



# Analysis Report

June 21, 2019

FOR: Attn:  
 Putnam County Health Dept.  
 Drinking and Recreational Water  
 1 Geneva Road  
 Brewster, NY 10509

Sample Information

Matrix: WASTE WATER  
 Location Code: PUTNAM  
 Rush Request: Standard  
 P.O.#:

Custody Information

Collected by:  
 Received by: CP  
 Analyzed by: see "By" below

Date      Time

06/19/19      12:51  
 06/19/19      17:20

## Laboratory Data

SDG ID: GCD38302  
 Phoenix ID: CD38304

Project ID:  
 Client ID: LAKE DRIVE MIDDLE STREAM

Parameter	Result	RL/ PQL	Units	Dilution	Date/Time	By	Reference
Escherichia Coli	479	10	MPN/100 mls	10	06/19/19 18:25	LJ/LJ	SM9223B-04
Fecal Coliforms MPN	97	10	MPN/100 mls	10	06/19/19 18:25	LJ/LJ	Colilert-18
Total Coliforms	>24200	10	MPN/100 mls	10	06/19/19 18:25	LJ/LJ	SW9223B-06

RL/PQL=Reporting/Practical Quantitation Level (Equivalent to NELAC LOQ, Limit of Quantitation) ND=Not Detected at RL/PQL  
 BRL=Below Reporting Level L=Biased Low

**Comments:**

If you are the client above and have any questions concerning this testing, please do not hesitate to contact Phoenix Client Services at ext.200. The contents of this report cannot be discussed with anyone other than the client listed above without their written consent.

Phyllis Shiller, Laboratory Director

June 21, 2019

Reviewed and Released by: Helen Geoghegan, Project Manager





Environmental Laboratories, Inc.  
 587 East Middle Turnpike, P.O.Box 370, Manchester, CT 06045  
 Tel. (860) 645-1102 Fax (860) 645-0823



**Analysis Report**  
 July 11, 2019

FOR: Attn:  
 Putnam County Health Dept.  
 Drinking and Recreational Water  
 1 Geneva Road  
 Brewster, NY 10509

Sample Information

Matrix: SURFACE WATER  
 Location Code: PUTNAM  
 Rush Request: Standard  
 P.O.#:

Custody Information

Collected by: CB  
 Received by: LB  
 Analyzed by: see "By" below

Date            Time  
 07/09/19        11:15  
 07/09/19        17:46

Laboratory Data

SDG ID: GCD53141  
 Phoenix ID: CD53142

Project ID:  
 Client ID: NORTHWAY

Parameter	Result	RL/ PQL	Units	Dilution	Date/Time	By	Reference
Fecal Coliforms MPN	44	10	MPN/100 mls	10	07/09/19 17:55	LJ/LJ	ColiIert-18

RL/PQL=Reporting/Practical Quantitation Level (Equivalent to NELAC LOQ, Limit of Quantitation) ND=Not Detected at RL/PQL  
 BRL=Below Reporting Level L=Biased Low

Comments:

If you are the client above and have any questions concerning this testing, please do not hesitate to contact Phoenix Client Services at ext.200.  
 The contents of this report cannot be discussed with anyone other than the client listed above without their written consent.

Phyllis Shiller, Laboratory Director  
 July 11, 2019

Reviewed and Released by: Rashmi Makol, Project Manager



Environmental Laboratories, Inc.  
 587 East Middle Turnpike, P.O.Box 370, Manchester, CT 06045  
 Tel. (860) 645-1102 Fax (860) 645-0823



# Analysis Report

June 21, 2019

FOR: Attn:  
 Putnam County Health Dept.  
 Drinking and Recreational Water  
 1 Geneva Road  
 Brewster, NY 10509

Sample Information

Matrix: WASTE WATER  
 Location Code: PUTNAM  
 Rush Request: Standard  
 P.O.#:

Custody Information

Collected by:  
 Received by: CP  
 Analyzed by: see "By" below

Date      Time  
 06/19/19      13:07  
 06/19/19      17:20

Laboratory Data

SDG ID: GCD38302  
 Phoenix ID: CD38302

Project ID:  
 Client ID: NORTHWAY UPPER 42

Parameter	Result	RL/ PQL	Units	Dilution	Date/Time	By	Reference
Escherichia Coli	359	10	MPN/100 mls	10	06/19/19 18:25	LJ/LJ	SM9223B-04
Fecal Coliforms MPN	97	10	MPN/100 mls	10	06/19/19 18:25	LJ/LJ	Colilert-18
Total Coliforms	19900	10	MPN/100 mls	10	06/19/19 18:25	LJ/LJ	SW9223B-06

RL/PQL=Reporting/Practical Quantitation Level (Equivalent to NELAC LOQ, Limit of Quantitation) ND=Not Detected at RL/PQL  
 BRL=Below Reporting Level L=Biased Low

**Comments:**

If you are the client above and have any questions concerning this testing, please do not hesitate to contact Phoenix Client Services at ext.200.  
 The contents of this report cannot be discussed with anyone other than the client listed above without their written consent.

Phyllis Shiller, Laboratory Director  
 June 21, 2019

Reviewed and Released by: Helen Geoghegan, Project Manager



Environmental Laboratories, Inc.  
 587 East Middle Turnpike, P.O. Box 370, Manchester, CT 06045  
 Tel. (860) 645-1102 Fax (860) 645-0823



# Analysis Report

June 21, 2019

FOR: Attn:  
 Putnam County Health Dept.  
 Drinking and Recreational Water  
 1 Geneva Road  
 Brewster, NY 10509

### Sample Information

Matrix: WASTE WATER  
 Location Code: PUTNAM  
 Rush Request: Standard  
 P.O.#:

### Custody Information

Collected by:  
 Received by: CP  
 Analyzed by: see "By" below

Date	Time
06/19/19	12:55
06/19/19	17:20

### Laboratory Data

SDG ID: GCD38302  
 Phoenix ID: CD38303

Project ID:  
 Client ID: NORTHWAY LOWER

Parameter	Result	RL/ PQL	Units	Dilution	Date/Time	By	Reference
Escherichia Coli	255	10	MPN/100 mls	10	06/19/19 18:25	LJ/LJ	SM9223B-04
Fecal Coliforms MPN	226	10	MPN/100 mls	10	06/19/19 18:25	LJ/LJ	Collert-18
Total Coliforms	>24200	10	MPN/100 mls	10	06/19/19 18:25	LJ/LJ	SW9223B-06

RL/PQL=Reporting/Practical Quantitation Level (Equivalent to NELAC LOQ, Limit of Quantitation) ND=Not Detected at RL/PQL  
 BRL=Below Reporting Level L=Biased Low

### Comments:

If you are the client above and have any questions concerning this testing, please do not hesitate to contact Phoenix Client Services at ext.200. The contents of this report cannot be discussed with anyone other than the client listed above without their written consent.

Phyllis Shiller, Laboratory Director  
 June 21, 2019

Reviewed and Released by: Helen Geoghegan, Project Manager



Environmental Laboratories, Inc.  
 587 East Middle Turnpike, P.O. Box 370, Manchester, CT 06045  
 Tel. (860) 645-1102 Fax (860) 645-0823



**Analysis Report**  
 June 21, 2019

FOR: Attn:  
 Putnam County Health Dept.  
 Drinking and Recreational Water  
 1 Geneva Road  
 Brewster, NY 10509

Sample Information

Matrix: WASTE WATER  
 Location Code: PUTNAM  
 Rush Request: Standard  
 P.O.#:

Custody Information

Collected by:  
 Received by: CP  
 Analyzed by: see "By" below

Date      Time  
 06/19/19      12:51  
 06/19/19      17:20

Laboratory Data

SDG ID: GCD38302  
 Phoenix ID: CD38304

Project ID:  
 Client ID: LAKE DRIVE MIDDLE STREAM

Parameter	Result	RL/ PQL	Units	Dilution	Date/Time	By	Reference
Escherichia Coli	479	10	MPN/100 mls	10	06/19/19 18:25	LJ/LJ	SM9223B-04
Fecal Coliforms MPN	97	10	MPN/100 mls	10	06/19/19 18:25	LJ/LJ	Coli18-18
Total Coliforms	>24200	10	MPN/100 mls	10	06/19/19 18:25	LJ/LJ	SW9223B-06

RL/PQL=Reporting/Practical Quantitation Level (Equivalent to NELAC LOQ, Limit of Quantitation) ND=Not Detected at RL/PQL  
 BRL=Below Reporting Level L=Biased Low

**Comments:**

If you are the client above and have any questions concerning this testing, please do not hesitate to contact Phoenix Client Services at ext.200.  
 The contents of this report cannot be discussed with anyone other than the client listed above without their written consent.

Phyllis Shiller, Laboratory Director  
 June 21, 2019

Reviewed and Released by: Helen Geoghegan, Project Manager



**Environmental Laboratories, Inc.**  
 587 East Middle Turnpike, P.O.Box 370, Manchester, CT 06045  
 Tel. (860) 645-1102 Fax (860) 645-0823



# Analysis Report

June 16, 2019

FOR: Attn:  
 Putnam County Health Dept.  
 Drinking and Recreational Water  
 1 Geneva Road  
 Brewster, NY 10509

Sample Information

Matrix: GROUND WATER  
 Location Code: PUTNAM  
 Rush Request: Standard  
 P.O.#:

Custody Information

Collected by: CB  
 Received by: CP  
 Analyzed by: see "By" below

Date      Time  
 06/12/19      11:00  
 06/12/19      16:46

## Laboratory Data

SDG ID: GCD33132  
 Phoenix ID: CD33134

Project ID:  
 Client ID: NORTH BEACH

Parameter	Result	RL/ PQL	Units	Dilution	Date/Time	By	Reference
Escherichia Coli	5170	10	MPN/100 mls	10	06/12/19 18:45	LJ/LJ	SM9223B-04
Fecal Coliforms MPN	3870	10	MPN/100 mls	10	06/12/19 18:15	ILT/RVM/L	Colilert-18
Total Coliforms	>24200	10	MPN/100 mls	10	06/12/19 18:45	LJ/LJ	SW9223B-06

RL/PQL=Reporting/Practical Quantitation Level (Equivalent to NELAC LOQ, Limit of Quantitation) ND=Not Detected at RL/PQL  
 BRL=Below Reporting Level L=Biased Low

**Comments:**

If you are the client above and have any questions concerning this testing, please do not hesitate to contact Phoenix Client Services at ext.200. The contents of this report cannot be discussed with anyone other than the client listed above without their written consent.

Phyllis Shiller, Laboratory Director

June 16, 2019

Reviewed and Released by: Rashmi Makol, Project Manager